

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	161	(711/131).CCLS.	USPAT; USOCR	OR	OFF	2006/10/23 08:35
S2	141	cache and S1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:09
S3	252	cache same (instruction near2 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:10
S4	133	cache same (instruction near2 port) same (data near3 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:49
S5	4	S1 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 14:10
S6	27	(cache same (instruction near2 port) same (data near3 port)) and (data adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 15:02
S7	18	(multi-port near10 cache) and (data adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 16:47

EAST Search History

S8	118	(instruction adj port) same (data adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 16:55
S9	3	(instruction adj port) same (data adj port) same (data adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 16:45
S10	11	(instruction adj port) and (data adj port) and (data adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 16:45
S11	8	S1 and (data adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:01
S12	84	(instruction adj port) same (data adj port) same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 16:56
S13	66	((instruction adj port) same (data adj port) same cache) and (data near2 width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 16:56
S14	44	S1 and (width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/11 17:01

EAST Search History

S15	6431	data adj width	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:44
S16	3	(data adj width) same (instruction adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:52
S17	0	(data adj por) same (instruction adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 14:52
S18	118	(data adj port) same (instruction adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:12
S19	3	((data adj port) same (instruction adj port)) same (data adj width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:01
S20	36	(data adj port) near10 (instruction adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/16 15:12
S21	6440	data adj width	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:28
S22	163	(711/131).CCLS.	USPAT; USOCR	OR	OFF	2006/10/17 09:26

EAST Search History

S23	8	S21 and S22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 09:27
S24	3	(data adj width) same (instruction adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:31
S25	4	(data adj width) same (instruction near3 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:32
S26	2	(data adj (idth or size)) same (instruction near3 port\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:34
S27	12	(data near2 (width or size)) same (instruction near3 port\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:50
S28	5	(multi-port) near2 instruction near3 cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:56
S29	98	(multi-port) near2 cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:56

EAST Search History

S30	19	((multi-port) near2 cache) same instruction\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/17 10:56
S31	181	(data adj width) same bank	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:40
S32	3	(data adj width) same (instruction near2 port) same bank	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:41
S33	4	(data adj width) same (instruction near2 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:42
S34	0	(larger near2 instruction near2 port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:42
S35	472	(larger near2 data near2 width)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:43
S36	11	(larger near2 data near2 width) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:44

EAST Search History

S37	98	(multi-port near2 cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:45
S38	4	(multi-port near2 cache) near5 instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/19 08:44
S39	1261	(bit near2 number) with instruction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 11:25
S40	43	((bit near2 number) with instruction) same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 11:27
S41	4	(large\$1 with (bit near2 number) with instruction) same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 11:28
S42	0	((bit near2 number) with instruction) same (multi-port near5 cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 11:29
S43	2	((bit near2 number) with instruction) and (multi-port near5 cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 11:30

EAST Search History

S44	4	((data near2 width) with instruction) and (multi-port near5 cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:48
S45	309	(instruction adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:48
S46	108	(instruction adj port) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:49
S47	10	(instruction adj port) with cache with (data adj port)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:52
S48	3	(instruction adj port) with larger	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:52
S49	3	(instruction adj port) with ((bit near2 number) or (data adj width))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:53
S50	4	(instruction adj port) same ((bit near2 number) or (data adj width))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:54

EAST Search History

S51	4	(instruction adj port) same ((bit near2 number) or (data near2 width))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:54
S52	126	(instruction adj port) and ((bit near2 number) or (data near2 width))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:56
S53	3	((instruction adj port) near10 larger) and ((bit near2 number) or (data near2 width))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/23 13:54